



# Industrial & Allied Service Ltd




18 Second Kuku Crescent, Osu Accra, Ghana  
 Tel: 233-21-762909; fax: 233-21-762910; cell: 233-244-671-668; Email: [ias@ghana.com](mailto:ias@ghana.com)




Oil & Grease Pumps Distributed & Serviced By IAS







First choice when quality counts. **Products**

## Oil Pumps

Line Length <sup>+</sup>	Up to 100 ft.	Up to 250 ft.	Up to 500 ft.
<b>Dispense Points</b> (simultaneous)	<b>1*</b>	<b>1 to 2</b>	<b>1 to 3</b>
<b>Annual Usage</b> (in gallons/liters)	<b>Up to 5,000</b> (18,927 liters)	<b>Up to 15000</b> (56,780 liters)	<b>Up to 30,000</b> (113,50 liters)
<b>Market</b>	In-Plant Service Shops	In-Plant Service Shops Auto Dealers	In-Plant Service Shops Construction Equip. Mtce. Service Shops Fast lubes Fleet
<b>Pump Pictured</b>	<b>Fast-Ball 1:1</b>	<b>Eagle 3:1</b>	<b>Fire-Ball 5:1</b>
			

Line Length <sup>+</sup>	Up to 750 ft.	Up to 750 ft.	Up to 750 ft.
<b>Dispense Points</b> (simultaneous)	<b>3 to 4</b>	<b>3 to 4</b>	<b>3 to 4</b>
<b>Annual Usage</b> (in gallons/liters)	<b>Over 30,000</b> (113,560 liters)	<b>Over 30,000</b> (113,560 liters)	<b>Over 30,000</b> (113,560 liters)
<b>Market</b>	<u>Large Fleet</u> <u>Auto Dealers</u> <u>Construction Equip. Mtce.</u> <u>In- Plant</u> Fast lubes	<u>Auto Dealers</u> <u>Construction Equip. Mtce.</u> <u>In-Plant</u> Fast lubes	<u>Large Fleet</u> <u>Auto Dealers</u> <u>Construction Equip. Mtce.</u> <u>In-Plant</u> Fast lubes
<b>Pump Pictured</b>	<b>President 3:1</b>	<b>President 6:1</b>	<b>President 10:1</b>
			

# Grease Pumps

Line Length	Up to 100 ft.	Up to 250 ft.	Up to 500 ft.	Up to 500 ft.
<b>Dispense Points</b> (simultaneous)	<b>1</b>	<b>1 to 2</b>	<b>4 or more</b>	<b>4 or more</b>
<b>Annual Usage</b> (in lbs./kg)	<b>Up to 5,000 lbs.</b> (2,560 liters)	<b>Up to 10,000 lbs.</b> (up to 4,535 liters)	<b>20,000 lbs. or more</b> (9,072kg or more)	<b>15,000 lbs. or more</b> (6,804 kg or more)
<b>Market</b>	<u>Auto Dealership</u> <u>In- Plant</u> <u>Service Shops</u>	<u>Construction Equip. Mtce</u> <u>In-Plant</u> <u>Fast lubes</u> <u>Service Shops</u> <u>Fleet</u>	<u>Construction Equip. Mtce</u> <u>In-Plant</u> <u>Fast lubes</u> <u>Service Shops</u> <u>Large Fleet</u>	<u>Large Fleet</u> <u>Auto Dealer</u> <u>Construction Equip. Mtce</u> <u>In-Plant</u> <u>Fast lubes</u>
<b>Pump Pictured</b>	<b>Eagle 50:1</b>	<b>Fire-Ball 50:1</b>	<b>President 50:1</b>	<b>President 75:1</b>
				

## Pneumatic Oil Pumps



Art		3612	3611	3618	3627	3621	3626	3619	3616
Code		036120000	036110000	036180000	036270000	036210000	036260000	036190000	036160000
Ratio	U.M.	3:1	3:1	3:1	5:1	5:1	5:1	1:1	1:1
6 bar flow rate	Lt/min	14	14	14	12	12	12	30	30
Working pressure	BAR	90 -120	90 -120	90 -120	90 -120	90 -120	90 -120	90 -120	90 -120
Air Inlet Coupling		F ¼" BSP	F ¼" BSP	F ¼" BSP	F ¼" BSP	F ¼" BSP	F ¼" BSP	F ¼" BSP	F ¼" BSP
Outlet Coupling		M ½" BSP	M ½" BSP	M ½" BSP	M ½" BSP	M ½" BSP	M ½" BSP	M ¾" BSP	M ¾" BSP
Noisy	DB	79	79	79	79	79	79	79	79
Shank drum	Kg	mural	50-60	180-220	mural	50 -60	180 – 220	mural	180 -220
Shank	mm	42	42	42	42	42	42	55	55
Shank length	mm	290	740	940	290	740	940	290	940
Dimension package	M3	0,001	0,013	0,016	0,010	0,013	0,016	0,010	0,016
Weight packaging	Kg	4,5	5,6	5,9	4,2	5,6	5,9	4,5	5,9

